

**BMW AUTHORIZATION FORM-III(Rule 10)**

Gujarat Pollution Control Board
3rd Floor, Gujarat Pollution Control Board
(Old Building)
Paryavaran Bhavan, Sector - 10A,

Aalok Hospital (385532)

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

Authorization for operating a facility for **Collection,Generation,Segregation,Storage,Treatment OR processing OR conversion** of biomedical wastes.

BMW AUTH NO :BMW-359810, VALID UPTO : 28/03/2027

PCB Id : 60426

Application Inward No : 87558 , Date: 25/04/2022

BMW Id : 385532

CCA No: BW-54342 (28/03/2027)

File No : ABD-638, (Out No : 20791)

No of Beds : 27, Investment(in lakh) : 75.50, Act : B,W
No of H.W : 0, Water Consumption(klpd) : 3.00, Scale : S

In exercise of power conferred by this Board and after scrutiny of above referred application, Superintendent / Incharge of Aalok Hospital at 8, Vidhyavihar Society, Opp. Fortune Landmark Hotel,,Nr. Usmanpura Water Tank, Ashram Road, Usmanpura, , Ahmedabad-380013 Tal : Ahmedabad Dist : Ahmedabad is here by granted an Authorisation to operate Health Care facility for **Collection,Generation,Segregation,Storage,Treatment OR processing OR conversion** of biomedical wastes on the premises of

M/S. Care Bmw Incineration situated at

Plot No. 1216 AND 17,Santej,Kalol,Gandhinagar Dist : GANDHINAGAR Under

CBWTF Reg. No : AD-731, Valid Upto :

1.The Authorisation is granted for 27 nos. of beds with generation of

Type of Waste Category (Kgs/Month)	YELLOW	WHITE (Translucent)	RED	BLUE
Qty permitted for Handling	24.00	8.00	22.00	5.00

category of biomedical wastes. **(Unit - Kgs/Month)**

2.This BMW Authorisation shall be in force **for a period of (5 year, Valid Upto 28/03/2027)**

This CCA Authorisation shall be in force **for a period of 5 year[up to 28/03/2027]**

3.This Authorisation is subject to the conditions stated in the Annexure-I attached here with and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act 1986.

4. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.

5. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.

Dt: 06/06/2022**Granted on : 12/05/2022 14:12:57****TPAV # D36SQMTU57**

**BMW AUTHORIZATION FORM-III(Rule 10)**

Gujarat Pollution Control Board
3rd Floor, Gujarat Pollution Control Board
(Old Building)
Paryavaran Bhavan, Sector - 10A ,

Aalok Hospital (385532)

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

6. The person authorised shall not rent, lend, sell, transfer or otherwise transport the biomedical waste without obtaining prior permission of the prescribed authority.
7. Any unauthorised changes in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
8. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.

**For & On behalf of
Gujarat Pollution Control Board**

Grant date: 12/05/2022 14:12:57

N. D. Ajmera

TPAV # D36SQMTU57

R.O Head: Ahmedabad (City)

**Remark:**

Specific Condition : 1 The applicant shall segregate generated BMW at source regularly and efficiently.

2 The applicant shall provide white translucent container for storage of used needle.

3 The applicant shall maintain disposal record of BMW regularly in a separate logbook.

4 The applicant shall update annual report in the system on or before the 30th June of every year.

5 The applicant shall have to follow up with CBWTF operator for daily collection of generated BMW at your HCU.

6 The applicant shall have to follow barcode system for bags/containers containing BMW to be sent out of the premises.

7 The applicant shall have to renew CBWTF certificate regularly.

8 You shall not allow to mix any human analytical waste or bodyfluid with wash water. And you shall dispose these kind of BMW through CBMWTF only.

Encl.: Annexure-I

Issued to , Dr. Mukeshchandra Shantilal Shah, Aalok Hospital, 8, Vidhyavihar Society, Opp. Fortune Landmark Hotel,, Nr. Usmanpura Water Tank, Ashram Road, Usmanpura, , Ahmedabad-380013 Tal :Ahmedabad Dist :Ahmedabad (BMW Id: 385532)

Copy to Regional Office - Ahmedabad (City)/ H.O

With a request to carry out periodically monitoring of above said hospital/clinic and submit the visit report to this Office.

Dt: 06/06/2022

Granted on : 12/05/2022 14:12:57

TPAV # D36SQMTU57